

# Surplus/Salvage List

September 2021

## Scrap List:

- House Industries Surface Aerator frame with Pontoons.

Aerator is an obsolete design that cannot be retrofitted to. The motor has been kept. Requesting to salvage the frame, gear box, motor housing, pontoons, and paddle mixer with a resale value of \$5.00.



- **Old Composite Sampler**

The ICSO composite sampler was previously surplus with a value of \$250 and did not sell through advertising. I recommend this unit resale value be lowered to \$5.00.



- **Air Release Valves (ARV)**

Six ARV's were previously surplused with a value of \$25.00 each. I recommend we add eight more ARV's to the list and lower the value of to \$1.00 for the entire pallet. The District will retain three other ARV's on hand.



- **Old CCTV**

CCTV was previously surplused with a value of \$200. No interest has been received. It's recommended this item's price be lowered to \$5.00.



## **SURPLUS LIST:**

- **Teledyne ICSO 3700 Composite Sampler:**

These samplers are no longer needed by the District. There remains another newer model that will be kept in the District inventory in the even it is needed in the future. The recommended value of the sampler is \$250.00.



- **Spartan Hydro-jetter:**

This item was previously surplus with a value of \$3,000. It has not seen any interest through advertising and now is recommended to have its value dropped to \$500.





- **Whacker Neuson Skid Steer:**

The District has upgraded to a more versatile skid steer with tracks instead of wheels. In doing so, it is recommended to surplus the current 2015 Whacker Neuson skid steer with a resale value of no less than \$25,000.00. The equipment has 688.0 hours and comes with a smooth-edge bucket.



- **Old Truck Mounted Tool Boxes: (not pictured)**

Old eight-foot long tool boxes were mounted on the Chevy flatbed which leaked causing mold to grow inside the tool boxes. They have since been replaced and are now requested to be surplus with a resale value of \$200.00 for all four.

- **Two (2) three-inch chemical rated globe valves:**

These were part of the disinfection building and not needed per the new WDR. The resale value is \$25.00 for both.



- **Two (2) four-inch by eight-foot flanges ductile iron spools:** Requested resale value is \$1.00



- **Small pontoon frame:**

This has been used in at least the last seven years. There is another floating vessel the District has on hand to perform similar functions. Pontoons are slightly dented. Asking resale value is \$50.00.



- **Two (2) old concrete cone manhole covers:**

These will never be used by the District. Requesting to scrap with resale value \$ 1.00.





- **Three (3) boxes of miscellaneous 2-3 inch ductile iron and fernco fittings:**  
These were left over from Phase-3 of the WWTP upgrades. Asking price is \$5.00 for all three boxes.

